National Air Quality Forecast Capability: Progress in 2010

September 15, 2010

Ivanka Stajner



Outline



Background on NAQFC Progress in 2010

- Operational products
- Experimental products
- Developmental testing

Coordination with Partners Looking Ahead



National Air Quality Forecast Capability Current and Planned Capabilities, 9/10



- Improving the basis for AQ alerts
- Providing AQ information for people at risk

FY10 Prediction Capabilities:


- Operations:
 - Ozone, expanded from EUS to CONUS, 9/07 Smoke implemented over CONUS (3/07),
 - AK (9/09), and HI (2/10)
- Experimental testing:
 - Ozone over AK and HI
 - Dust predictions over CONUS
 - Ozone upgrades
- Developmental testing:
 - Components for particulate matter (PM) forecasts
 - Ozone upgrades

Near-term Operational Targets:

Ozone coverage extended Nationwide

Longer range:

- Quantitative PM_{2.5} prediction
- Extend air quality forecast range to 48-72 hours
- Include broader range of significant pollutants, e.g. SO₂





National Air Quality Forecast Capability End-to-End Operational Capability



Model Components: Linked numerical prediction system

Operationally integrated on NCEP's supercomputer

- NCEP mesoscale NWP: WRF-NMM
- NOAA/EPA community model for AQ: CMAQ

Observational Input:

- NWS weather observations; NESDIS fire locations
- EPA emissions inventory

Gridded forecast guidance products


- On NWS servers: www.weather.gov/aq and ftp-servers
- On EPA servers
- Updated 2x daily

Verification basis, near-real time:


- Ground-level AIRNow observations
- Satellite smoke observations

Customer outreach/feedback

- State & Local AQ forecasters coordinated with EPA
- Public and Private Sector AQ constituents









Progress in 2010



Towards ozone, smoke nationwide, dust testing

Ozone Upgrades: Targeting Expanded Forecast Guidance for Alaska and Hawaii domain in NWS operations

- Operations, 2010: Updates for CONUS (emissions), new 1, 8-hour daily maximum products,
- <u>Experimental Testing</u>: CB-05 chemical mechanism, experimental AK and HI ozone predictions
- <u>Developmental testing</u>: changing boundary conditions, dry deposition, PBL in CB-05

Smoke: Implemented into Operations 3/1/07 over CONUS

- Operations: CONUS Dec 2008 upgrades. AK (9/29/09) and HI (2/23/10) smoke implemented
- <u>Developmental testing</u>: Improvements to verification

Aerosols: Developmental testing providing comprehensive dataset for diagnostic evaluations. (CONUS)

- CMAQ (aerosol option), testing CB-05 chemical mechanism
 - Qualitative; summertime underprediction consistent with missing source inputs
- Dust and smoke inputs: testing dust contributions to PM2.5 from global sources
 - Real-time testing of combining smoke inputs with CMAQ-aerosol
- Testing prediction of experimental prediction of dust from CONUS sources
- Developing prototype for assimilation of surface PM2.5 measurements
- R&D efforts continuing in chemical data assimilation, real-time emissions sources, advanced chemical mechanisms



Operational Products



NAM update (December, 2008)

- Model Parameterizations: PBL/turbulence schemes and vertical diffusion applied to separate water species, absorption coefficients for water and ice doubled in radiation scheme, changes to land-surface physics under snow coverage
- Data assimilation: Upgraded GSI with a new version of radiative transfer, more satellite and aircraft obs
- Initialization: Background for the first analysis comes from the global system (GDAS)

Ozone Predictions: Emissions Updates (May, 2010)

- Point, area and mobile source emissions: updated based on NEI (2005) and projected for the current year.
 - EPA Office of Transportation and Air Quality on-road emissions estimates
 - EGU sources: 2008 CEM data projected for 2010.
- Biogenic sources: BEIS 3.13

Smoke:


- Implemented operational prediction for Hawaii February 2010
 - Finer aggregation grid of 5 km for smoke sources over HI



Operational CONUS Ozone



Daily maximum of 1h and 8h averages: maps, point value tables and binary data files




Graphic created-Jul 30 12:20PM EDT


12z model run





Progress from 2005 to 2008: Ozone Prediction Summary Verification











2005

Initial Operational Capability (IOC)

Operational, NE US Domain

2006 Operational
Operational, Eastern US


2007 Experimental
Experimental, Contiguous US
Approved 9/07 to replace Eastern
US config in operations

2008 Operational CONUS, wrt 85ppb Threshold


Progress from 2009 to 2010:







2009 Operational CONUS, wrt 76ppb Threshold



2010 Operational CONUS, wrt 76ppb Threshold

"Smoke plume from a wildland fire burning in the Four Mile Canyon area just west of Boulder Colo. on Monday, Sept. 6, 2010. High winds pushed the smoke and ash eastward over the Colorado plains."

Mon Sep 6


"Smoke fills the sky in the mountains between Four Mile Canyon and Left Hand Canyon, northwest of Boulder, Colo., on Monday." (Kathryn Scott Osler/Denver Post/Associated Press)



"The blaze broke out Monday morning in Four Mile Canyon northwest of Boulder and rapidly spread across roughly 1,400 hectares. Erratic wind gusts sometimes sent the fire in two directions at once."

"The 11-square-mile blaze had destroyed at least 92 structures and damaged at least eight others by Tuesday night, Boulder County sheriff's Cmdr. Rick Brough said."

Colorado fire, 9/7/2010








September 7-8, 2010







Real-time Testing, Summer 2010:



Experimental Testing

Experimental Predictions Publicly available, real-time


Ozone:


- CMAQ with advanced gas-phase chemical mechanism CB05
 - more Volatile Organic Compound (VOC) reactions
 - challenge: more O₃ with CB05
 - regional implications: CONUS, AK, HI

Dust:


Testing over CONUS


Experimental





Experimental








Testing of CONUS dust predictions







Chemical mechanism sensitivity analysis




Updated CB05 mechanism shows larger biases than CBIV

- · Summertime,
- Eastern US.

Sensitivity studies in progress:

- Chemical speciation
- Indicator reactions







Comparison of CB05 Runs: Base with Combination



Model-minus-AIRNow observations: mean for daytime in August 2009




Base Run, like experimental testing



Combination Run:

- LBCs,
- minimum PBL height,
- dry deposition







Developmental predictions, Summer 2010




Focus group access only, real-time as resources permit

Aerosols over CONUS

From NEI sources only

- CMAQ:
 CB05 gases,
 AERO-4 aerosols
- sea salt emissions and reactions

Testing of real-time wildfire smoke emissions in CMAQ




NWS/OST/MDL 2010



Developmental Aerosol Predictions:



Summary Verification, 2010






Quantitative PM performance



Forecast challenges

- Aerosol simulation using emission inventories:
- Show seasonal bias-winter, overprediction; summer, underprediction
- Intermittent sources
- Chemical boundary conditions/transboundary inputs





Partnering with AQ Forecasters



http://www.epa.gov/airnow/airaware/

Focus group, State/local AQ forecasters:

- Participate in real-time developmental testing of new capabilities, e.g. aerosol predictions
- Provide feedback on reliability, utility of test products
- Local episodes/case studies emphasis
- Regular meetings; working together with EPA's AIRNow and NOAA





Coordination of NWS and AQ Forecasters



Local: NWS WFO forecaster

- WFO forecasters have reached out to AQ forecasters; available for discussion
- Participation in AQ Awareness week

National level: HPC forecasters

- Event-driven coordination: NCEP/HPC available to participate in coordination calls to provide regional and/or synoptic weather information/input
- AQ forecasters web-drawer, June 1- September 3 www.hpc.ncep.noaa.gov/aqtest/
 - Next-day AQ-relevant weather summary
 - Displays of ozone, smoke predictions
 - Selected NDFD forecasts, graphical products for T, winds, stability

International level: Canadian AQ forecasters and AQ model developers

- NOAA and EC Co-host International workshops on AQ Forecasting Research, Dec 2009, Nov 2010

Products, domain coverage still expanding

- NWS and AQ forecaster coordination: growth area
- Feedback essential for refining/improving coordination



Example feedback




From Christopher Reith, Arizona ADEQ


Daily comparison of late-day predictions with Arizona ADEQ forecasts and observations.

- "...wide range of accuracy from the NOAA model...from being dead-on early in the season to being grossly positively biased during much of the last few weeks..."
- "...since April 01 there have been seven ozone exceedance days...The NOAA ozone model accurately picked five of the seven which is great; it also predicted 40 exceedance days during the same period which is not so great.
- "...In addition, the NOAA model has predicted very high ozone AQI numbers. The highest actual ozone AQI level reached so far this season has been 124; the NOAA model has predicted higher levels than this on 11 of the 40 days including two days above the 150 ppb level..."

Daily Max ADEQ Forecast vs Actual vs HOAA Forecast Model 8-Hr Avg Ozone Concentrations



Daily Max ADEQ Forecast vs Actual vs NOAA Forecast Model 8-Hr Avg Ozone
Concentrations





Example Feedback





From Nyasha Dunkley, Georgia AQ Forecaster

"...looking at the values, it appears that the NOAA model has a slight tendency to overpredict the 8hr ozone values, as well as PM2.5 (though the PM overprediction is not quite as dramatic as the ozone)..."

"...noticed about the experimental model (as can be seen in the graph), is that although it's overpredicting a fair amount, it seems to be catching the trend in concentrations fairly well (especially considering how much trouble moisture has made forecasting for this season)..."









National AQF Capability:





Product Improvements:

- Daily Max products for day 1, Verification portal updates
- Testing modifications to CB-05 system (LBC, dry deposition, PBL height...)
- Closer coupling of AQ with new version of meteorological model, NMM-B; horizontal and vertical resolution, vertical mixing treatment
- Update emissions inventory

Expanding, Improving Ozone forecast guidance (WRF-CMAQ)

Coverage over 50 states targeted by end of FY10

Experimental testing of dust predictions over CONUS

Development and integration of components for quantitative particulate matter predictions:

- Assimilation of surface PM2.5 measurements
- Objective satellite products for verification (ongoing)
- Aerosols predictions from anthropogenic source emissions in inventories: continued development/testing/analysis— testing advanced chemical mechanisms
- Further component development, chemical data assimilation, dust, speciated fire emissions, integration of PM components
- Target operational implementation for initial PM forecasts, NE US: FY15



National Air Quality Forecast Capability Looking Ahead





Nationwide ozone and particulate matter predictions

- Expanding ozone & smoke to nationwide coverage, Target: FY10 and
- Begin quantitative particulate matter predictions, Target: FY15

- Providing information Nationwide on when/where poor AQ is expected
- •Reducing losses to life (60,000) each year from poor AQ
- •Reducing economic losses (>\$100B each year) from poor AQ



Acknowledgments: AQF Implementation Team Members



NOAA/NWS/OST

NOAA/OAR Jim Meagher

NWS/OCWWS Jannie Ferrell

NWS/OPS/TOC Cindy Cromwell, Bob Bunge Jerry Gorline, Marc Saccucci, NWSOST/MDL

Tim McClung

Tim Boyer, Dave Ruth

NWS/OST Ken Carey, Kyle Wedmark

NESDIS/NCDC Alan Hall

NWS/NCEP

Jeff McQueen, Dr. Youhua Tang, Marina Tsidulko,

Jianping Huang

*Sarah Lu, Ho-Chun Huang

*Brad Ferrier, *Dan Johnson, *Eric Rogers,

*Hui-Ya Chuang

Geoff Manikin

Dan Starostra, Chris Magee

Robert Kelly, Bob Bodner, Andrew Orrison

NOAA/OAR/ARL

Daewon Byun, Pius Lee, Rick Saylor,

Daniel Tong, Tianfeng Chai, Fantine Ngan

Yunsoo Choi, Hyun Kim

Roland Draxler, Glenn Rolph, Ariel Stein

NESDIS/STAR Shobha Kondragunta, Jian Zeng

NESDIS/OSDPD Matt Seybold, Mark Ruminski

EPA/OAQPS partners:

Chet Wayland, Phil Dickerson, Scott Jackson, Brad Johns

NAQFC Manager

NOAA AQ Matrix Manager

Outreach, Feedback

Data Communications

Dev. Verification, NDGD Product Development

Program Support

Product Archiving

AQF model interface development, testing, & integration

Global data assimilation and feedback testing

WRF/NAM coordination

Smoke Product testing and integration

NCO transition and systems testing

HPC coordination and AQF webdrawer

CMAQ development, adaptation of AQ simulations for AQF

HYSPLIT adaptations

Smoke Verification product development

HMS product integration with smoke forecast tool

AIRNow development, coordination with NAQFC


^{*} Guest Contributors



Operational AQ forecast guidance



www.weather.gov/aq



CONUS Ozone
Expansion Implemented September, 2007

Smoke Products
Implemented March, 2007



Further information: www.nws.noaa.gov/ost/air_quality




Appendix






Real-time Testing, Summer 2010: Experimental vs Operational O₃ at 76 ppb





Experimental CB05-based




Operational CBIV-based

Experimental vs. Operational, 76 ppb: FC decreases in exptl predictions







HMS smoke analysis for August 15, 2009



Smoke Forecast Tool: What is it?



Overview

 Passive transport/dispersion computed with HYSPLIT & WRF-NAM (or GFS, OCONUS). 24-hr spin-up, 48



Continuing Science Upgrades Improvements to the expanding NAQFC



Continuing R&D required


 OAR and EPA working actively with NWS to provide prototype capabilities for pre-operational development, testing experimental production, and implementation




Testing of HI smoke predictions







Operational since February 2010



1Hr Vertical Smoke (micrograms/m^3) Wed Jan 06 2010 9PM HST

Experimental (Thu Jan 07 2010 07Z)

National Digital Guidance Database

06z model run Graphic created-Jan 11 4:49AM HST




9. Alexandria

10. Ashburn
11. Long Park
12. Cub Run
13. Lewinsville
14. Annandale
15. Franconia
16. Mount Vernon
17. Calvert
18. South Maryland



Case Study: July 4-6th, 2010 Washington, DC



Charles Co.

	July 4 th , 2010	July 5 th , 2010	July 6, 2010
Ozone prediction			
Verification (max level recorded)	86 ppb	82 ppb	90 ppb